

12 North Main Street, Suite 101 West Hartford, CT 06107 P: (860)236-4249 F: (860)231-1571 Info@westhartforddentalgroup.com



Instructions for Deep Scale Patients

To minimize the discomfort and aid proper healing following your deep cleaning, we suggest the following:

- After the procedure, take aspirin, Tylenol (acetaminophen), or Advil (ibuprofen)
 before the anesthetic wears off. Continue to take one tablet every four hours for the next two days.
- Rinse with a warm salt-water solution (mix ½ teaspoon salt in 8 oz. warm water) two or three times an hour for the next day or two.
- Use a soft toothbrush at least two times a day. Be gentle and clean thoroughly.
 Slight bleeding may occur while brushing as the tissues begin to heal.
- 4. Avoid strong spicy seasonings, and hard "chippy" items for the next few days.
- 5. As the tissues heal, some sensitivity to cold may occur. Use a desensitizing toothpaste (such as Sensodyne or Denquil), or fluoride gel (such as Prevident or Gel-Kam) frequently (at least 4 times a day) for 1-2 weeks. Also, the cleaner the teeth are kept, the less sensitive they will be.
- Faithfully use any other oral hygiene aids that have been recommended (floss, Perio-Aid, rubber tip, Sonicare, Proxabrush, Gel-Kam fluoride, Peridex mouth rinse, etc).
- 7. Refrain from smoking for 24 hours or longer. Tobacco interferes with healing.
- 8. If you have any questions or concerns, please call our office.